Product overview &
packaging specification
May 2025

URSA

FOR A BETTER TOMORROW

# Igniting the wave of change

etex inspiring ways of living

# URSA WALLTEC BLACK 32

## Thermal Conductivity: 0.032W/mK



RAINSCREEN CLADDING

| Thickness (mm) | Length (mm) | Width (mm) | Slabs per Pack | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|---|
| 40 | 1350 | 600 | 15 | 12.15 | 16 | 194.40 | D | 2144922 | 4017916568834 |
| 50 | 1350 | 600 | 11 | 8.91 | 20 | 178.20 | D | 2145010 | 4017916570486 |
| 60 | 1350 | 600 | 9 | 7.29 | 20 | 145.80 | D | 2143710 | 4017916551577 |
| 80 | 1350 | 600 | 7 | 5.67 | 20 | 113.40 | D | 2143721 | 4017916551607 |
| 100 | 1350 | 600 | 5 | 4.05 | 20 | 81.00 | S | 2143723 | 4017916551669 |
| 120 | 1350 | 600 | 6 | 4.86 | 16 | 77.76 | S | 2145000 | 4017916570585 |
| 130 | 1350 | 600 | 5 | 4.05 | 16 | 64.80 | S | 2145011 | 4017916570615 |
| 140 | 1350 | 600 | 5 | 4.05 | 16 | 64.80 | S | 2143724 | 4017916551690 |
| 150 | 1350 | 600 | 4 | 3.24 | 16 | 51.84 | S | 2136983 | 4017916455493 |
| 160 | 1350 | 600 | 4 | 3.24 | 16 | 51.84 | S | 2143725 | 4017916551720 |
| 180 | 1350 | 600 | 3 | 2.43 | 20 | 48.60 | D | 2143712 | 4017916551812 |
| 200 | 1350 | 600 | 3 | 2.43 | 16 | 38.88 | D | 2141838 | 4017916519850 |
| 220 | 1350 | 600 | 3 | 2.43 | 16 | 38.88 | D | 2143713 | 4017916551843 |
| 240 | 1350 | 600 | 3 | 2.43 | 16 | 38.88 | D | 2144582 | 4017916564126 |

# URSAPAN

## Thermal Conductivity: 0.035W/mK



RAINSCREEN CLADDING

| Thickness (mm) | Length (mm) | Width (mm) | Slabs per Pack | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|---|
| 30 | 1350 | 600 | 22 | 17.82 | 20 | 356.40 | D | 2143715 | 4017916552116 |
| 40 | 1350 | 600 | 17 | 13.77 | 20 | 275.40 | D | 2143716 | 4017916552147 |
| 50 | 1350 | 600 | 14 | 11.34 | 20 | 226.80 | S | 2143717 | 4017916552178 |
| 60 | 1350 | 600 | 12 | 9.72 | 20 | 194.40 | D | 2143718 | 4017916552208 |
| 80 | 1350 | 600 | 8 | 6.48 | 24 | 155.52 | D | 2143720 | 4017916552260 |

*S: Stock*
*NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)*
*D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)*



# URSAPAN BLACK

## Thermal Conductivity: 0.035W/mK



RAINSCREEN CLADDING

| Thickness (mm) | Length (mm) | Width (mm) | Slabs per Pack | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|---|
| 90 | 1350 | 600 | 7 | 5.67 | 24 | 136.08 | NS | 2144903 | 4017916568469 |
| 100 | 1350 | 600 | 7 | 5.67 | 20 | 113.40 | D | 2143735 | 4017916552413 |
| 120 | 1350 | 600 | 5 | 4.05 | 24 | 97.20 | D | 2143736 | 4017916552444 |
| 130 | 1350 | 600 | 5 | 4.05 | 24 | 97.20 | D | 2144474 | 4017916561842 |
| 140 | 1350 | 600 | 5 | 4.05 | 20 | 81.00 | D | 2143738 | 4017916552475 |
| 150 | 1350 | 600 | 5 | 4.05 | 20 | 81.00 | D | 2143739 | 4017916552505 |
| 160 | 1350 | 600 | 4 | 3.24 | 24 | 77.76 | D | 2143740 | 4017916552536 |
| 180 | 1350 | 600 | 4 | 3.24 | 20 | 64.80 | D | 2143741 | 4017916552567 |
| 200 | 1350 | 600 | 3 | 2.43 | 24 | 58.32 | D | 2143742 | 4017916552598 |
| 220 | 1350 | 600 | 3 | 2.43 | 24 | 58.32 | D | 2143743 | 4017916552628 |
| 240 | 1350 | 600 | 3 | 2.43 | 20 | 48.60 | D | 2143744 | 4017916552659 |

# URSA WALLTEC REFLEX

## Thermal Conductivity: 0.032W/mK



SOFFITS

| Thickness (mm) | Length (mm) | Width (mm) | Slabs per Pack | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|---|
| 131 | 1350 | 600 | 5 | 4.05 | 16 | 64.80 | D | 2143714 | 4017916551966 |
| 138 | 1350 | 600 | 5 | 4.05 | 16 | 64.80 | D | 2143746 | 4017916551904 |
| 150 | 1350 | 600 | 4 | 3.24 | 16 | 51.84 | D | 2142373 | 4017916528050 |

*S: Stock*
*NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)*
*D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)*

# URSA FRAMETEC SLAB 35

## Thermal Conductivity: 0.035W/mK



LIGHT STEEL FRAME WALLS

| Thickness (mm) | Length (mm) | Width (mm) | Slabs per Pack | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|---|
| 90 | 1350 | 600 | 7 | 5.67 | 24 | 136.08 | D | 2144997 | 4017916570394 |
| 100 | 1350 | 600 | 7 | 5.67 | 20 | 113.40 | D | 2144772 | 4017916566038 |
| 120 | 1350 | 600 | 6 | 4.86 | 20 | 97.20 | D | 2144774 | 4017916566090 |
| 150 | 1350 | 600 | 5 | 4.05 | 20 | 81.00 | D | 2144743 | 4017916565567 |

# URSA CAVITY BATT 32

## Thermal Conductivity: 0.032W/mK

EXTERNAL MASONRY CAVITY WALLS

| Thickness (mm) | Length (mm) | Width (mm) | Batts per Pack | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|---|
| 75 | 1350 | 455 | 7 | 4.30 | 25 | 107.49 | D | 2143381 | 4017916548812 |
| 85 | 1350 | 455 | 6 | 3.69 | 25 | 92.14 | D | 2143382 | 4017916548843 |
| 100 | 1350 | 455 | 5 | 3.07 | 25 | 76.78 | S | 2143383 | 4017916548874 |
| 125 | 1350 | 455 | 4 | 2.46 | 25 | 61.43 | S | 2143328 | 4017916548249 |
| 150 | 1350 | 455 | 4 | 2.46 | 20 | 49.14 | S | 2143384 | 4017916548904 |
| 175 | 1350 | 455 | 3 | 1.84 | 25 | 46.07 | NS | 2143411 | 4017916549215 |
| 200 | 1350 | 455 | 3 | 1.84 | 20 | 36.86 | S | 2143412 | 4017916549246 |

# URSA CAVITY BATT 35

## Thermal Conductivity: 0.035W/mK

EXTERNAL MASONRY CAVITY WALLS

| Thickness (mm) | Length (mm) | Width (mm) | Batts per Pack | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|---|
| 75 | 1350 | 455 | 8 | 4.91 | 30 | 147.42 | D | 2143385 | 4017916548935 |
| 100 | 1350 | 455 | 6 | 3.69 | 30 | 110.57 | S | 2143396 | 4017916549079 |
| 125 | 1350 | 455 | 5 | 3.07 | 30 | 92.14 | D | 2143398 | 4017916549109 |
| 150 | 1350 | 455 | 4 | 2.46 | 30 | 73.71 | D | 2143671 | 4017916551317 |

*S: Stock*
*NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)*
*D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)*



# URSA PARTY WALL ROLL

## Thermal Conductivity: 0.035W/mK
## Density: Nominal 22kg/m³



MASONRY PARTY WALLS

| Thickness (mm) | Length (mm) | Width (mm) | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|
| 100 | 6000 | 2x455 | 5.46 | 18 | 98.28 | S | 2141341 | 4017916511649 |

# URSA ACOUSTIC ROLL

## Thermal Conductivity: 0.035W/mK
## Density: Nominal 22kg/m³



INTERNAL WALLS & FLOORS

| Thickness (mm) | Length (mm) | Width (mm) | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|
| 25 | 20000 | 2x600 | 24.00 | 24 | 576.00 | S | 2138181 | 4017916461609 |
| 25 | 20000 | 1200 | 24.00 | 24 | 576.00 | S | 2138160 | 4017916461586 |
| 50 | 12000 | 2x600 | 14.40 | 24 | 345.60 | S | 2138183 | 4017916461623 |
| 60 | 10000 | 2x600 | 12.00 | 24 | 288.00 | S | 2138182 | 4017916461647 |
| 75 | 8000 | 2x600 | 9.60 | 24 | 230.40 | S | 2138184 | 4017916461661 |
| 100 | 6000 | 2x600 | 7.20 | 24 | 172.80 | S | 2138185 | 4017916461685 |

*S: Stock*
*NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)*
*D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)*

# URSA FRAMETEC 32

## Thermal Conductivity: 0.032W/mK

TIMBER FRAME WALLS & ROOFS



| Thickness (mm) | Length (mm) | Width (mm) | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|
| 90 | 5500 | 2x580 | 6.38 | 18 | 114.84 | S | 2141966 | 4017916521754 |
| 140 | 3700 | 2x580 | 4.29 | 18 | 77.26 | S | 2144996 | 4017916570363 |

# URSA FRAMETEC 35

## Thermal Conductivity: 0.035W/mK

TIMBER FRAME WALLS & ROOFS



| Thickness (mm) | Length (mm) | Width (mm) | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|
| 90 | 6500 | 2x580 | 7.54 | 24 | 180.96 | D | 2142931 | 4017916541332 |
| 140 | 4250 | 2x580 | 4.93 | 24 | 118.32 | D | 2142932 | 4017916541363 |

# URSA FRAMETEC SLAB 32

## Thermal Conductivity: 0.032W/mK

TIMBER FRAME WALLS & ROOFS

| Thickness (mm) | Length (mm) | Width (mm) | Slabs per Pack | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|---|
| 90 | 1200 | 570 | 5 | 3.42 | 20 | 68.40 | NS | 2139586 | 8435062265135 |
| 140 | 1200 | 570 | 3 | 2.05 | 20 | 41.04 | NS | 2139587 | 8435062265159 |

*S: Stock*
*NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)*
*D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)*



# URSA HOMETEC ROLL 32

## Thermal Conductivity: 0.032W/mK

TWIN SKIN METAL CLAD ROOFS & WALLS

| Thickness (mm) | Length (mm) | Width (mm) | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|
| 60 | 5400 | 1200 | 6.48 | 18 | 116.64 | D | 2134604 | 4017916438496 |
| 80 | 5400 | 1200 | 6.48 | 18 | 116.64 | D | 2134605 | 4017916438724 |
| 101 | 5000 | 1200 | 6.00 | 18 | 108.00 | S | 2141962 | 4017916521679 |
| 120 | 4500 | 1200 | 5.40 | 18 | 97.20 | S | 2145001 | 4017916570059 |
| 140 | 3700 | 1200 | 4.44 | 18 | 79.92 | S | 2145002 | 4017916570080 |
| 160 | 3300 | 1200 | 3.96 | 18 | 71.28 | S | 2145003 | 4017916570219 |
| 180 | 3000 | 1200 | 3.60 | 18 | 64.80 | S | 2145004 | 4017916570240 |
| 200 | 2600 | 1200 | 3.12 | 18 | 56.16 | D | 2140135 | 4017916486893 |
| 220 | 2500 | 1200 | 3.00 | 18 | 54.00 | D | 2142831 | 4017916538554 |
| 240 | 2400 | 1200 | 2.88 | 18 | 51.84 | D | 2144836 | 4017916567868 |

# URSA HOMETEC ROLL 35

## Thermal Conductivity: 0.035W/mK

TWIN SKIN METAL CLAD ROOFS & WALLS

| Thickness (mm) | Length (mm) | Width (mm) | Pack Area (m²) | Packs per pallet | Pallet Area (m²) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|
| 60 | 11000 | 1200 | 13.20 | 18 | 237.60 | S | 2141951 | 4017916521112 |
| 80 | 8000 | 1200 | 9.60 | 18 | 172.80 | S | 2075264 | 5412424705143 |
| 100 | 6500 | 1200 | 7.80 | 18 | 140.40 | S | 2141953 | 4017916521136 |
| 120 | 6000 | 1200 | 7.20 | 18 | 129.60 | S | 2144458 | 4017916561637 |
| 140 | 5000 | 1200 | 6.00 | 18 | 108.00 | S | 2144459 | 4017916561668 |
| 150 | 4000 | 1200 | 4.80 | 18 | 86.40 | S | 2075262 | 5412424759078 |
| 160 | 4500 | 1200 | 5.40 | 18 | 97.20 | S | 2144460 | 4017916561699 |
| 180 | 4000 | 1200 | 4.80 | 18 | 86.40 | S | 2144491 | 4017916562122 |
| 200 | 3600 | 1200 | 4.32 | 18 | 77.76 | S | 2144492 | 4017916562153 |
| 220 | 3200 | 1200 | 3.84 | 18 | 69.12 | S | 2144493 | 4017916562184 |
| 240 | 3000 | 1200 | 3.60 | 18 | 64.80 | S | 2144494 | 4017916562214 |
| 260 | 2700 | 1200 | 3.24 | 18 | 58.32 | D | 2144495 | 4017916562245 |

*S: Stock*
*NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)*
*D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)*

# URSA HOMETEC ROLL 40

## Thermal Conductivity: 0.040W/mK

TWIN SKIN METAL CLAD ROOFS & WALLS

| Thickness (mm) | Length (mm) | Width (mm) | Pack Area ($m^2$) | Packs per pallet | Pallet Area ($m^2$) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|
| 60 | 13500 | 1200 | 16.20 | 24 | 388.80 | S | 2137715 | 4017916458913 |
| 80 | 10500 | 1200 | 12.60 | 24 | 302.40 | S | 2137716 | 4017916458449 |
| 90 | 9000 | 1200 | 10.80 | 24 | 259.20 | D | 2126893 | 5412424763143 |
| 100 | 8500 | 1200 | 10.20 | 24 | 244.80 | S | 2137717 | 4017916458463 |
| 120 | 7500 | 1200 | 9.00 | 24 | 216.00 | S | 2137718 | 4017916458487 |
| 140 | 6500 | 1200 | 7.80 | 24 | 187.20 | S | 2137713 | 4017916458401 |
| 160 | 5500 | 1200 | 6.60 | 24 | 158.40 | S | 2137714 | 4017916458425 |
| 180 | 5000 | 1200 | 6.00 | 24 | 144.00 | S | 2075406 | 5412424761224 |
| 200 | 4500 | 1200 | 5.40 | 24 | 129.60 | D | 2137719 | 4017916458500 |
| 220 | 4000 | 1200 | 4.80 | 24 | 115.20 | NS | 2138527 | 4017916466079 |
| 240 | 3750 | 1200 | 4.50 | 24 | 108.00 | S | 2137781 | 4017916459026 |
| 260 | 3500 | 1200 | 4.20 | 24 | 100.80 | S | 2138528 | 4017916466093 |
| 280 | 2800 | 1200 | 3.36 | 24 | 80.64 | D | 2140802 | 4017916497189 |

# URSA 10 DIVERSO

## Thermal Conductivity: 0.044W/mK



LOFTS

| Thickness (mm) | Length (mm) | Width (mm) | Pack Area ($m^2$) | Packs per pallet | Pallet Area ($m^2$) | Stock / Non-stock | Product Code | EAN / GTIN Code |
|---|---|---|---|---|---|---|---|---|
| 150 | 7500 | 1140/2x570/3x380 | 8.55 | 24 | 205.20 | S | 2132733 | 4017916411116 |
| 200 | 5500 | 1140/2x570/3x380 | 6.27 | 24 | 150.48 | S | 2132731 | 4017916411055 |

*S: Stock*
*NS: Non Stock (minimum order and lead time to be confirmed by Customer Service)*
*D: On Demand (minimum order of 1 pallet and lead time to be confirmed by Customer Service)*



# Customer Service Offer

**A full load is 20 pallets.**
Delivery time will be either morning (am) or afternoon (pm).

We can deliver direct to site if the site has access for large articulated vehicles, has a suitable offload facility and is not subject to vehicle restrictions.

Many cities now have congestion charges, clean air zones, low emission zones and similar schemes. Any charges and/or costs for these will be passed on.

## Customer service

**T** 01786 451170
**E** customerservice.stirling@etexgroup.com

## Sales team

**1 Michael Robinson**
Commercial Manager
UK & Ireland
**T** 07771 510551

**2 Kate Fox**
Regional Sales Manager
Midland
**T** 07825 632783

**3 Mark Guest**
Regional Sales Manager
South
**T** 07717 699344

**Ian Claydon**
Technical Manager
**T** 07771 510550

FOR A BETTER TOMORROW

**Etex UK Insulation Limited.** Thistle Industrial Estate, Kerse Road, Stirling, Scotland FK7 7QQ

Technical:
T. **0808 1645 134**
E. **technicalursa.uk@etexgroup.com**

Customer Services:
T. **01786 451170**
E. **customerservice.stirling@etexgroup.com**

Social:
/showcase/ursa-uk-ireland
/ursainsulation

URSAP002
May 2025

REF: 50356

All rights are reserved, including those of photomechanical reproduction and storage in electronic media. Commercial use of the processes and work activities presented in this document is not permitted. Extreme caution was observed when putting together the information, texts, and illustrations in this document. Nevertheless, errors cannot quite be ruled out. The publisher and editors cannot assume legal responsibility or any liability whatever for incorrect information and the consequences thereof. The publisher and editors will be grateful for improvement suggestions and details of errors pointed out. Please check this is the current version by visiting the URSA website. For archived versions please contact the Technical Services Team.

etex inspiring ways of living